

FIG. 1




FIG. 2A




FIG. 2B








FIG. 3A**FIG. 3B****FIG. 3C****FIG. 3D**

FIG. 4A




FIG. 4B




FIG. 5

TILE INDEX	MINIMUM VALUE OF TILE PART INDEX TO BE ENCRYPTED
0	0
1	2
3	3
4	1
5	0
:	:
62	3
63	1


FIG. 6

FIG. 7

	0	1	2	3	4	5
0						
1						
3						
4						
5						
:						
62						
63						

FIG. 8

	0	1	2	3	4	5
0	1	1	1	1	1	1
1	0	1	1	1	2	2
3	0	0	0	1	1	2
4	0	1	1	1	1	2
5	1	1	1	1	2	2
:	:	:	:	:	:	:
62	0	0	0	1	1	2
63	0	1	1	1	2	2

FIG. 9




FIG. 10

ACCESS KEY VALUE
INDEX CORRESPONDING TO ACCESS KEY VALUE
INFORMATION REPRESENTING TILE PART INDEX OR TILE GROUP INDEX


FIG. 11


FIG. 12

FIG. 13

	0	1	2	3	4	5
0	1	1	1	1	1	1
1	0	0	1	1	2	2
2	0	0	0	1	1	2
3	0	1	1	1	1	2
4	1	1	1	1	2	2
:	:	:	:	:	:	:
62	0	0	0	1	1	2
63	0	1	1	1	2	2


FIG. 14


FIG. 15


FIG. 16

FIG. 17

